



# Product Change Notification

## # 102505-00

Information in this document is provided in connection with Intel® products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel® products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel® products are not intended for use in medical, life saving, or life sustaining applications. Intel may make changes to specifications and product descriptions at any time, without notice.

Intel, Insight960, Intel386, Intel486, Intel740, IntelDX2, IntelDX4, IntelSX2, Intel GigaBlade, Intel StrataFlash, Intel Xeon™, Intel XScale, Itanium™, OverDrive, Pentium®, Pentium® II Xeon™, Pentium® III Xeon™, Solutions960, LANDesk, Celeron™, FlashFile, i386, i486, i960, iCAT, iCOMP, Intel SingleDriver technology, EtherExpress™, AnyPoint is a trademark or registered trademark of Intel Corporation or its subsidiaries in the United States and other countries.

Learn how to use Intel Trade Marks and Brands correctly at <http://www.intel.com/intel/legal/tmusage2.htm>.

**Change Notification #:** 102505-00  
**Change Title:** Intel® Pentium® 4 Processor 0.13 and 0.18 Micron Process, Change to the Intel® Pentium® 4 Logo  
**Date of PCN Publication:** May 13, 2002

**Type of Change Notification:**

For-Your-Information

**Key Characteristics of the Change:**

Product Marking

**Forecasted Key Milestones:**

**Date Customer Must be Ready to Receive Post-Conversion Material:** June 7, 2002

**Date of First Availability of Post-Conversion Material:** June 7, 2002


*The date of "First Availability of Post-Conversion Material" is the projected date that a customer may expect to receive the Post-Conversion Materials. This date is determined by the projected depletion of inventory at the time of the PCN publication. The depletion of inventory may be impacted by fluctuating supply and demand, therefore, although customers should be prepared to receive the Post-Converted Materials on this date, Intel will continue to ship and customers may continue to receive the pre-converted materials until the inventory has been depleted.*

**Description of Change to the Customer:**

Intel is changing the Pentium® 4 logo from a bitmap to a text font for the Intel® Pentium® 4 Processor with 512KB L2 Cache on 0.13 Micron Process and the Intel® Pentium® 4 Processor with 256KB L2 Cache on 0.18 Micron Process. Refer to the "Products Affected table" and photographs depicting the change.

**Customer Impact of Change and Recommended Action:**

No customer impact. Customers will continue to receive pre and post-change products interchangeably until pre-change inventory is depleted (see "Key Milestones" above).



**Products Affected / Intel Ordering Codes:**

Intel® Pentium® 4 Processor with 512KB L2 Cache on **0.13 Micron Process**

Marketing Name Non-Shrink	Order Code	Stepping	S-Spec	Material Master #
Intel® Pentium® 4 Processor 2A GHz	RK80532PC041512	B-0	SL5YR	839247
Intel® Pentium® 4 Processor 2.20 GHz	RK80532PC049512	B-0	SL5YS	839248
Intel® Pentium® 4 Processor 2.26 GHz	RK80532PE051512	B-0	SL67Y	845185
Intel® Pentium® 4 Processor 2.40 GHz	RK80532PC056512	B-0	SL65R	843946
Intel® Pentium® 4 Processor 2.40B GHz	RK80532PE056512	B-0	SL67Z	845186
Intel® Pentium® 4 Processor 2.53 GHz	RK80532PE061512	B-0	SL682	845187

Intel® Pentium® 4 Processor with 512KB L2 Cache on 0.13 Micron Process, **Small Form Factor (SFF)**

Marketing Name Non-Shrink	Order Code	Stepping	S-Spec	Material Master #
Intel® Pentium® 4 Processor 1.6 GHz	RK80534PC025512	B-0	SL62S	841426
Intel® Pentium® 4 Processor 1.8 GHz	RK80534PC033512	B-0	SL62R	841428
Intel® Pentium® 4 Processor 2.0 GHz	RK80534PC041512	B-0	SL62Q	841429

Intel® Pentium® 4 Processor with 256KB L2 Cache on **0.18 Micron Process**

Marketing Name	Order Code	Stepping	S-Spec	Material
Pentium® 4 Processor PGA 478 Pin 1.4 GHz	RK80531PC017G0K	D-0	SL5TG	837220
Pentium® 4 Processor PGA 478 Pin 1.5 GHz	RK80531PC021G0K	D-0	SL5TJ	837218
Pentium® 4 Processor PGA 478 Pin 1.6 GHz	RK80531PC025G0K	D-0	SL5VH	837829
Pentium® 4 Processor PGA 478 Pin 1.7 GHz	RK80531PC029G0K	D-0	SL5TK	837221
Pentium® 4 Processor PGA 478 Pin 1.8 GHz	RK80531PC033G0K	D-0	SL5VJ	837830
Pentium® 4 Processor PGA 478 Pin 1.9 GHz	RK80531PC037G0K	D-0	SL5VK	837831
Pentium® 4 Processor PGA 478 Pin 2.0 GHz	RK80531PC041G0K	D-0	SL5TL	837222

Pentium® 4 Processor PGA 478 Pin 2.0 GHz	RK80531PC041G0K	D-0	SL5TL	837222
--	-----------------	-----	-------	--------

**Reference Documents / Attachments:**

None

**PCN Revision History:**

**Date of Revision:**

**Revision Number:**

**Reason:**

00

Originally Published PCN