



Product Change Notification

Change Notification #: 115395 - 01

Change Title: Intel® Omni-Path Edge Switch 100 Series 24 Port Managed Forward 2 PSU 100SWE24QF2,
Intel® Omni-Path Edge Switch 100 Series 24 Port Forward 2 PSU 100SWE24UF2,
Intel® Omni-Path Edge Switch 100 Series 24 Port Forward 1 PSU 100SWE24UF1,
Intel® Omni-Path Edge Switch 100 Series 48 Port Managed Forward 2 PSU 100SWE48QF2,
Intel® Omni-Path Edge Switch 100 Series 48 Port Forward 2 PSU 100SWE48UF2,
Intel® Omni-Path Edge Switch 100 Series 48 Port Managed Reverse 2 PSU 100SWE48QR2,
Intel® Omni-Path Edge Switch 100 Series 48 Port Reverse 2 PSU 100SWE48UR2,
Intel® Omni-Path Edge Switch 100 Series 48 Port Managed Forward 1 PSU 100SWE48QF1,
Intel® Omni-Path Edge Switch 100 Series 48 Port Forward 1 PSU 100SWE48UF1

PCN 115395-01, Label, Regulatory Label Update, Reason for Revision: Removing Power Supply Updates

Date of Publication: June 16, 2017

Key Characteristics of the Change:

Label

Forecasted Key Milestones:

Date Customer Must be Ready to Receive Post-Conversion Material:	Apr 30, 2017
---	--------------

The date of "First Availability of Post-Conversion Material" is the projected date that a customer may expect to receive the Post-Conversion Materials. This date is determined by the projected depletion of inventory at the time of the PCN publication. The depletion of inventory may be impacted by fluctuating supply and demand, therefore, although customers should be prepared to receive the Post-Converted Materials on this date, Intel will continue to ship and customers may continue to receive the pre-converted materials until the inventory has been depleted.

Description of Change to the Customer:

Reason for Revision: Removing Power Supply Updates. The implementation of the new internal switch power supply that no longer requires the RoHS 8b exemption has been delayed until the inventory of the existing supplies has been exhausted. This is expected to occur during 1H 2018 and a new PCN will be issued for this change prior to manufacturing release.

Affected Product Code	Product Description
100SWE24QF2	Intel® Omni-Path Edge Switch 100 Series 24 Port Managed Forward 2 PSU 100SWE24QF2
100SWE24UF2	Intel® Omni-Path Edge Switch 100 Series 24 Port Forward 2 PSU 100SWE24UF2
100SWE24UF1	Intel® Omni-Path Edge Switch 100 Series 24 Port Forward 1 PSU 100SWE24UF1
100SWE48QF2	Intel® Omni-Path Edge Switch 100 Series 48 Port Managed Forward 2 PSU 100SWE48QF2
100SWE48UF2	Intel® Omni-Path Edge Switch 100 Series 48 Port Forward 2 PSU 100SWE48UF2
100SWE48QR2	Intel® Omni-Path Edge Switch 100 Series 48 Port Managed Reverse 2 PSU 100SWE48QR2
100SWE48UR2	Intel® Omni-Path Edge Switch 100 Series 48 Port Reverse 2 PSU 100SWE48UR2
100SWE48QF1	Intel® Omni-Path Edge Switch 100 Series 48 Port Managed Forward 1 PSU 100SWE48QF1
100SWE48UF1	Intel® Omni-Path Edge Switch 100 Series 48 Port Forward 1 PSU 100SWE48UF1

Overview of Changes:

The affected Omni-Path Edge Switches shall be modified to:

- Update Regulatory Label

Change 2: Regulatory and Compliance Certifications were successfully acquired for Vietnam (ICT) and TUV GS. The Regulatory label is being updated to include these marks. In addition, the Country of Origin is being removed from the Regulatory label. This information is on the product label. This change applies to all 100SWE48 and 100SWE24.

Product Material Change Details:

Change 2: Product Regulatory Label updates.

- Product regulatory labels will be updated to add marks for Vietnam (ICT) and TUV GS.
- The Country of Origin is being removed from the Regulatory label. This information is redundant, as it is already on the product label.

100SWE24, Before:

<p>Intel® Regulatory Model Numbers/Ratings: 100SWE24 Electrical rating: 100-240VAC, 3.3A, 50/60Hz</p>	<p>For CE Mark-Related Questions: Intel Corporation (UK) Ltd. Attn: Corporate Quality Pipers Way, Swindon Wiltshire SN3 1RJ, UK</p> 				
<p>光纖網路交換機: 型號: 100SWE24 額定輸入: 100-240VAC, 3.3A, 50/60Hz</p>					
<p>FCC Part 15 Class A This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>	  				
<p>CAN ICES-3 (A)/NMB-3(A)</p>					
					
					
<p>Warning! This unit may have more than one power cord. To reduce the risk of electric shock disconnect all cords before servicing the unit. Do not reenergize unit when cover is removed. Laite on liitettävä suojamaadoituskoskettimilla varustettuun pistorasiaan. Apparatet må tilkoples jordet stikkontakt. Apparaten skall anslutas till jordat uttag. 仅适用于海拔2000m 以下地区安全使用 仅适用于非热带气候条件下安全使用</p>	<p>警告使用者: 此為甲類資訊技術設備, 於居住環境中使用時, 可能會造成射頻擾動, 在此種情況下, 使用者會被要求採取某些適當的對策。 A 급 기기 (업무용 정보통신기기) 이 기기는 업무용으로 전자파적합등록을 한 기기이오니 판매자 또는 사용자는 이 점을 주의하시기 바라며, 만약 잘못 판매 또는 구입하였을 때에는 가 정용으로 교환하시기 바랍니다.</p>				
<p>Label PN J39095-001 Rev 01</p>	<p>Made in USA</p>				

Intel® Regulatory Model Numbers/Ratings:
 100SWE48 Electrical rating: 100-240VAC, 4.0A, 50/60Hz

光纖網路交換機:
 型號: 100SWE48 額定輸入: 100-240VAC, 4.0A, 50/60Hz

For CE Mark-Related Questions:
 Intel Corporation (UK) Ltd.
 Attn: Corporate Quality
 Pipers Way, Swindon
 Wiltshire SN3 1RJ, UK

FCC Part 15 Class A
 This device complies with part 15 of the FCC rules.
 Operation is subject to the following two conditions:
 (1) This device may not cause harmful interference, and
 (2) this device must accept any interference received,
 including interference that may cause undesired operation.

CAN ICES-3 (A)/NMB-3(A)

















Warning!
 This unit may have more than one power cord. To reduce the risk of electric shock disconnect all cords before servicing the unit. Do not reenergize unit when cover is removed.
 Laite on liitettävä suojamaadoituskoskettimilla varustettuun pistorasiaan.
 Apparatet må tilkoples jordet stikkcontact.
 Apparaten skall anslutas till jordat uttag.
 仅适用于海拔2000m 以下地区安全使用
 仅适用于非热带气候条件下安全使用

警告使用者:
 此為甲類資訊技術設備，於居住環境中使用時，可能會造成射頻擾動，在此種情況下，使用者會被要求採取某些適當的對策。
 A 급 기기 (업무용 정보통신기기)
 이 기기는 업무용으로 전자파 적합 인증을 한 기기이오니 판매자 또는 사용자는 이 점을 주의하시기 바라며, 만약 잘못 판매 또는 구입하였을 때에는 각 정용사로 교환하시기 바랍니다.

Label PN J39094-001 Rev 01

Made in USA

100SWE24, After:

Intel® Regulatory Model Numbers/Ratings:
100SWE24 Electrical rating: 100-240VAC, 3.3A, 50/60Hz

光纖網路交換機:
型號: 100SWE24 額定輸入: 100-240VAC, 3.3A, 50/60Hz

For CE Mark-Related Questions:
Intel Corporation (UK) Ltd.
Attn: Corporate Quality
Pipers Way, Swindon
Wiltshire SN3 1RJ, UK

FCC Part 15 Class A
This device complies with part 15 of the FCC rules.
Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

CAN ICES-3 (A)/NMB-3(A)

Warning!
This unit may have more than one power cord. To reduce the risk of electric shock disconnect all cords before servicing the unit. Do not reenergize unit when cover is removed.
Laite on liitettävä suojamaadoituskoskettimilla varustettuun pistorasiaan.
Apparatet må tilkoples jordet stikkontakt.
Apparaten skall anslutas till jordat uttag.
仅适用于海拔2000m 以下地区安全使用
仅适用于非热带气候条件下安全使用

警告使用者:
此為甲類資訊技術設備, 於居住環境中使用時, 可能會造成射頻擾動, 在此種情況下, 使用者會被要求採取某些適當的對策。

A 급 기기 (업무용 정보통신기기)
이 기기는 업무용으로 전자파적합등록을 한 기기이오니 판매자 또는 사용자는 이 점을 주의하시기 바라며, 만약 잘못 판매 또는 구입하였을 때에는 가 정용으로 교환하시기 바랍니다.

Label PN J39095-002 Rev 01



100SWE48, After:

Intel® Regulatory Model Numbers/Ratings:
100SWE48 Electrical rating: 100-240VAC, 4.0A, 50/60Hz

光纖網路交換機:
型號: 100SWE48 額定輸入: 100-240VAC, 4.0A, 50/60Hz

FCC Part 15 Class A
This device complies with part 15 of the FCC rules.
Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

CAN ICES-3 (A)/NMB-3(A)

For CE Mark-Related Questions:
Intel Corporation (UK) Ltd.
Attn: Corporate Quality
Pipers Way, Swindon
Wiltshire SN3 1RJ, UK

TUV SUD US

50

CE

001

NOM

NYCE

IRAM

REPUBLICA ARGENTINA

NSCL ICT

H005 16

MSIP-REM-CPU-100SWE48

EAC

D33025

TUV SUD GS

Warning!
This unit may have more than one power cord. To reduce the risk of electric shock disconnect all cords before servicing the unit. Do not reenergize unit when cover is removed.
Laitte on liitettävä suojamaadoituskoskettimilla varustettuun pistorasiaan.
Apparatet må tilkoples jordet stikkontakt.
Apparaten skall anslutas till jordat uttag.
仅适用于海拔2000m 以下地区安全使用
仅适用于非热带气候条件下安全使用

警告使用者:
此為甲類資訊技術設備，於居住環境中使用時，可能會造成射頻擾動，在此種情況下，使用者會被要求採取某些適當的對策。
A 급 기기 (업무용 정보통신기기)
이 기기는 업무용으로 전자파 적합등록을 한 기기이오니 판매자 또는 사용자는 이 점을 주의하시기 바랍니다. 만약 잘못 판매 또는 구입하였을 때에는 가 정용으로 교환하시기 바랍니다.

Label PN J39094-002 Rev 01

Customer Impact of Change and Recommended Action:

Intel is not recommending additional qualification of these changes by customers.

There is no change to the switch Intel Material Master (MM) numbers.

Please contact your local Intel Field Sales Representative if you have any questions about this change.

Milestone dates are estimates and subject to change based on business and operational conditions.

Products Affected / Intel Ordering Codes:

Product Code	MM#	Pre Change MM# Rev	Post Change MM# Rev	Pre Change TA	Post Change TA	Pre Change AS	Post Change AS
100SWE24QF2	945654	12	13	J24914-003	J24914-004	J25084-003	J25084-004
100SWE24UF2	945655	10	11	H95629-008	H95629-009	H95628-006	H95628-007
100SWE24UF1	945665	04	05	J27489-003	J27489-004	J27491-003	J27491-004
100SWE48QF2	948588	10	11	H93386-019	H93386-020	H93385-015	H93385-016
100SWE48UF2	948678	10	11	H95625-024	H95625-025	H95624-016	H95624-017
100SWE48QR2	945656	04	05	J28549-004	J28549-005	J28550-004	J28550-005
100SWE48UR2	945657	04	05	J28553-004	J28553-005	J28554-004	J28554-005
100SWE48QF1	945662	04	05	J24122-004	J24122-005	J24123-004	J24123-005
100SWE48UF1	945663	04	05	J21757-004	J21757-005	J21760-004	J21760-005

PCN Revision History:

Date of Revision:

April 10, 2017

June 16, 2017

Revision Number:

00

01

Reason:

Originally Published PCN

Removing Power Supply Updates



Product Change Notification

115395 - 01

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

A "Mission Critical Application" is any application in which failure of the Intel Product could result, directly or indirectly, in personal injury or death. SHOULD YOU PURCHASE OR USE INTEL'S PRODUCTS FOR ANY SUCH MISSION CRITICAL APPLICATION, YOU SHALL INDEMNIFY AND HOLD INTEL AND ITS SUBSIDIARIES, SUBCONTRACTORS AND AFFILIATES, AND THE DIRECTORS, OFFICERS, AND EMPLOYEES OF EACH, HARMLESS AGAINST ALL CLAIMS COSTS, DAMAGES, AND EXPENSES AND REASONABLE ATTORNEYS' FEES ARISING OUT OF, DIRECTLY OR INDIRECTLY, ANY CLAIM OF PRODUCT LIABILITY, PERSONAL INJURY, OR DEATH ARISING IN ANY WAY OUT OF SUCH MISSION CRITICAL APPLICATION, WHETHER OR NOT INTEL OR ITS SUBCONTRACTOR WAS NEGLIGENT IN THE DESIGN, MANUFACTURE, OR WARNING OF THE INTEL PRODUCT OR ANY OF ITS PARTS.

Intel may make changes to specifications and product descriptions at any time, without notice. Designers must not rely on the absence or characteristics of any features or instructions marked "reserved" or "undefined". Intel reserves these for future definition and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to them. The information here is subject to change without notice. Do not finalize a design with this information.

The products described in this document may contain design defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.

Should you have any issues with the timeline or content of this change, please contact the Intel Representative(s) for your geographic location listed below. No response from customers will be deemed as acceptance of the change and the change will be implemented pursuant to the key milestones set forth in this attached PCN.

Americas Contact: asmo.pcn@intel.com

Asia Pacific/PRC Contact: apagccb@intel.com

Europe Email: eccb@intel.com

Japan Email: jccb.ijkk@intel.com

Copyright © Intel Corporation 2017. Other names and brands may be claimed as the property of others.

3D XPoint, Axxia, Basis, Basis Peak, BlueMoon, BunnyPeople, Celeron, Centrino, Cilk, Curie, Flexpipe, Intel, the Intel logo, Intel Atom, Intel CoFluent, Intel Core, Intel. Experience What's Inside, the Intel. Experience What's Inside logo, Intel Inside, the Intel Inside logo, Intel Insider, Intel Joule, Intel RealSense, Intel SingleDriver, Intel SpeedStep, Intel Unite, Intel vPro, Intel Xeon Phi, Intel XScale, InTru, the InTru logo, the InTru Inside logo, InTru soundmark, Iris, Itanium, MCS, MMX, Optane, Ostro, Pali, Pentium, picoArray, Picochip, picoXcell, Puma, Quark, SMARTi, Soletta, Sound Mark, StarPro, Stay With It, the Engineering Stay With It logo, StreamSight, Tarari, The Journey Inside, Thunderbolt, the Thunderbolt logo, Transcende, True Key, Ultrabook, VTune, Xeon, X-GOLD, XMM, X-PMU and XPOSYS are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

Microsoft, Windows, and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries. Java is a registered trademark of Oracle and/or its affiliates. Bluetooth is a trademark owned by its proprietor and used by Intel Corporation under license. Intel Corporation uses the Palm OS* Ready mark under license from Palm, Inc. OpenCL and the OpenCL logo are trademarks of Apple Inc. used by permission by Khronos. Learn how to use Intel Trademarks and Brands correctly at <http://www.intel.com/intel/legal/tmusage2.htm>.