



Product Change Notification

109587 - 02

Information in this document is provided in connection with Intel products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications. Intel may make changes to specifications and product descriptions at any time, without notice.

Should you have any issues with the timeline or content of this change, please contact the Intel Representative(s) for your geographic location listed below. No response from customers will be deemed as acceptance of the change and the change will be implemented pursuant to the key milestones set forth in this attached PCN.

Americas Contact: asmo.pcn@intel.com

Asia Pacific Contact: apacgccb@intel.com

Europe Email: eccb@intel.com

Japan Email: jccb.ijkk@intel.com

Copyright © Intel Corporation 2009. Other names and brands may be claimed as the property of others.

Celeron, Centrino, Intel, the Intel logo, Intel Core, Intel NetBurst, Intel NetMerge, Intel NetStructure, Intel SingleDriver, Intel SpeedStep, Intel StrataFlash, Intel Viiv, Intel XScale, Itanium, MMX, Paragon, PDCharm, Pentium, and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Learn how to use Intel Trade Marks and Brands correctly at <http://www.intel.com/intel/legal/tmusage2.htm>.



Product Change Notification

Change Notification #: 109587 - 02
Change Title: Selected Embedded Processors and Chipsets, PCN 109587-02, Product Discontinuance, Reason for Revision: Changed Milestones back to original dates
Date of Publication: October 19, 2009

Key Characteristics of the Change:

Product Discontinuance

Forecasted Key Milestones:

Product Discontinuance Program Support Begins:	Oct 01, 2009
Orders are Non-Cancelable and Non-Returnable After:	Oct 01, 2010
Last Product Discontinuance Order Date:	Oct 01, 2010
Last Product Discontinuance Shipment Date:	Oct 01, 2011

Description of Change to the Customer:

Revising ONLY to change milestones back to their original dates on the 1st of the month!

ORIGINAL TEXT:

Due to a shift in demand to other products, Intel Corporation is announcing the discontinuance of these selected Embedded Processors and Chipsets.

Customer Impact of Change and Recommended Action:

Please determine your remaining demand and place your "Last Product Discontinuance Orders" in accordance with the "Key Milestones" listed above. Orders are non-cancelable and non-returnable after October 2, 2010.

Products Affected / Intel Ordering Codes:

Marketing Name	Product Code	S-Spec	MM#
Intel® i960® JS Processor	GD80960JS25		819343
Intel® i960® VH Processor	FW80960VH100		820682
Intel® Pentium® Processor with MMX™ Technology, LP 166 MHz, Extended Temp, HL-PBGA, Tray	GC80503CSM66166	S L388	821225
Intel® Pentium® Processor with MMX™ Technology, LP 266 MHz, Extended Temp, HL-PBGA, Tray	GC80503CSM66266	S L389	821226
Intel® 82371EB PCI-ISA Bridge	FW82371EB	S L3AU	821640

Intel® Pentium® Processor with MMX™ Technology, LP 166 MHz, Extended Temp, HL-PBGA, Tray	GC80503CS166EXT	S L3B8	822631
Intel® 82840 Memory Controller Hub (MCH)	FW82840	S L3TA	826059
Intel® Pentium® III Processor 850 MHz, 256K Cache, 100 MHz FSB, FCPGA, Tray	RB80526PY850256	S L4Z2	833400
Intel® Pentium® III Processor 866 MHz, 256K Cache, 133 MHz FSB, FCPGA, Tray	RB80526PZ866256	S L4ZJ	833403
Intel® Pentium® III Processor 733 MHz, 256K Cache, 133 MHz FSB, FCPGA, Tray	RB80526PZ733256	S L4ZL	833404
Intel® Pentium® III Processor 1.00 GHz, 256K Cache, 133 MHz FSB, FCPGA, Tray	RB80526PZ001256	S L52R	833416

Intel® Celeron® Processor 733 MHz, 128K Cache, 66 MHz FSB, FCPGA, Tray	RB80526RX733128	S L52Y	833440
Intel® Celeron® Processor 850 MHz, 128K Cache, 100 MHz FSB, FCPGA, Tray	RB80526RY850128	S L54Q	833470
Intel® Pentium® III Processor 700 MHz, 256K Cache, 100 MHz FSB, FCPGA, Tray	RB80526PY700256	S L4ZM	833747
Intel® Pentium® III Processor 600 MHz, 256K Cache, 100 MHz FSB, FCPGA, Tray	RB80526PY600256	S L5BT	834318
Intel® 21154 Transparent PCI-to-PCI Bridge, 33 MHz	FW21154AE		834404
Intel® 21154 Transparent PCI-to-PCI Bridge, 66 MHz	FW21154BE		834405
Intel® Celeron® Processor 566 MHz, 128K Cache, 66 MHz FSB, FCPGA, Tray	RB80526RX566128	S L5L5	835762
Intel® Pentium® III Processor 1.00 GHz, 256K Cache, 100 MHz FSB, FCPGA, Tray	RB80526PY001256	S L5QV	836655
Intel® 21154 Transparent PCI-to-PCI Bridge, 66 MHz, Tape	FW21154BE		843744
Intel® 21555 Non-Transparent PCI-to-PCI Bridge, 33 MHz	FW21555AB	S L6G8	848191
Intel® 21555 Non-Transparent PCI-to-PCI Bridge, 66 MHz	FW21555BB	S L6G9	848192
Intel® LXT16727 MUX, 132-pin BGA, Tray	RCLXT16727FE		853645
Intel® LXT16726 DeMUX, 132-pin BGA, Tray	RCLXT16726FE		853646
Intel® LXT16727 MUX, 142-pin BGA, Tray	RCLXT16727JA		855168
Intel® LXT16726 DeMUX, 142-pin BGA, Tray	RCLXT16726JA		855216

Intel® LXT16727 MUX, Tray	RCLXT16727FEA	S L 79Q	857191
Intel® 82801CAM I/O Controller Hub 3 Mobile (ICH3-M)	NH82801CAM	S L7A7	857393
NT80960JT7P854	NT80960JT10016		863965
W L80960JSP854	WL80960JS2516		863982
Intel® 82801BA I/O Controller Hub 2 (ICH2)	NH82801BA	S L7UU	864013
NT80960JS7P854	ET80960JS3316		864015
Intel® i960® JT Processor	ET80960JT10016		864017
NT80960JSP854	ET80960JS2516		864019
Intel® 82815 Graphics and Memory Controller Hub (GMCH), Pb-Free	NH82815	S L7UT	864020
Intel® i960® VH Processor	PR80960VH100		864026
NT80960JCP854	NT80960JC5016		864035
Intel® 82801DBM I/O Controller Hub 4 Mobile (ICH4-M), Pb-Free SLI	NH82801DBM	S L7VK	864814
Intel® 82855GME Graphics and Memory Controller Hub (GMCH), Pb-Free	JG82855GME	S L7VN	864863
Intel® 82852GM Graphics and Memory Controller Hub (GMCH), Pb-Free	JG82852GM	S L7VP	864971
Intel® 21154 Transparent PCI-to-PCI Bridge, 33 MHz, Pb-Free	PR21154AE	S L7T8	865153
Intel® 82810 Graphics and Memory Controller Hub (GMCH)	NH82810	S L7XK	865225
Intel® 82810E Graphics and Memory Controller Hub (GMCH)	NH82810E	S L7XL	865249
Intel® 6300ESB I/O Controller Hub	NHE6300ESB	S L7XJ	865250
Intel® 21154 Transparent PCI-to-PCI Bridge, 66 MHz, Pb-Free	PR21154BE	S L7T9	865265
Intel® 21555 Non-Transparent PCI-to-PCI Bridge, 33 MHz, Pb-Free	PR21555AB	S L7V8	865266
Intel® 21555 Non-Transparent PCI-to-PCI Bridge, 66 MHz, Pb-Free	PR21555BB	S L7UG	865267
Intel® 82801EB I/O Controller Hub (ICH5) Pb-Free SLI	NH82801EB	S L7YC	865579
Intel® 82443BX AGP Host Bridge Controller	NH82443BXE	S L85Y	867048
82371EB PCI-ISA Bridge, Pb-Free	NH82371EBE	S L87F	867346
Intel® E7501 Memory Controller Hub (MCH), Pb-Free	JGE7501MC	S L8AL	868411
Intel® 82870P2 64-bit PCI/PCI-X Controller Hub 2 (P64H2)	JG82870P2	S L8AM	868413
Intel® 82915GV Graphics and Memory Controller Hub (GMCH)	QG82915GV	S L8AU	868423
82801CA Integrated Controller Hub (ICH3-S)	NH82801CA	S L8AN	868447
Intel® 82852GME Graphics and Memory Controller Hub (GMCH),	JG82852GME	S L8D7	869481

Pb-Free			
Intel® 82845GV Graphics and Memory Controller Hub (GMCH)	JG82845GV	S L8DA	869483
Intel® 82845E Memory Controller Hub (MCH)	JG82845E	S L8D9	869485
Intel® 82801DB I/O Controller Hub (ICH4), Pb-Free SLI	NH82801DB	S L8DE	869490
Intel® 82845 Memory Controller Hub (MCH)	JG82845	S L8D8	869493
Intel® 82875P Memory Controller Hub (MCH)	JG82875	S L8DB	869502
Intel® 82443MX PCIset	NH82443MX100	S L8BQ	869847
Intel® 82801E Communications I/O Controller Hub (C-ICH)	NH82801E	S L8LG	871695
Intel® Celeron® D Processor 335 (256K Cache, 2.80 GHz, 533 MHz FSB) mPGA 478, Tray	NE80546RE072256	S L8HM	872500
64-bit Intel® Xeon® Processor 3.20D GHz, 1M Cache, 800 MHz FSB, FC-mPGA, Tray	NE80546KG0881M	S L8KQ	872548
Intel® Pentium® 4 Processor 530 supporting HT Technology (1M Cache, 3.00E GHz, 800 MHz FSB) mPGA 478, Tray	NE80546PG0801M	S L8JZ	872636
64-bit Intel® Xeon® Processor LV 2.80 GHz, 1M Cache, 800 MHz FSB, FC-mPGA, Tray	NE80546EG0721M	S L8RW	873425
Intel® LXT16726 DeMUX, 132-pin BGA, Tray	PCLXT16726FE		875482
Intel® LXT16726 DeMUX, 132-pin BGA, Tray	PCLXT16727FE		875484
Intel® LXT16727 MUX, 142-pin BGA, Tray	PCLXT16727JA		875485
Intel® LXT16727 MUX, Tray	PCLXT16727FEA		875573
Intel® LXT16726 DeMUX, 142-pin BGA, Tray	PCLXT16726JA		876810
Intel® LXT16726 DeMUX, 132-pin BGA, Tray	RCLXT16726FEH		878047
Intel® LXT16726 DeMUX, 132-pin BGA, Tray	RCLXT16726FEL		878048
Intel® LXT16727 MUX, Tray	RCLXT16727FEAH	S L 79Q	878049
Intel® LXT16727 MUX, Tray	RCLXT16727FEAL	S L 79Q	878050
Intel® 82865G Graphics and Memory Controller Hub (GMCH)	JG82865G S L99Y	S L99Y	879478
Intel® Celeron® D Processor 341 (256K Cache, 2.93 GHz, 533 MHz FSB) Intel® EM64T, LGA775, Tray	HH80547RE077CN	S L98X	880683
Intel® Pentium® 4 Processor 551 supporting HT Technology (1M Cache, 3.40 GHz, 800 MHz FSB) Intel® EM64T, LGA775, Tray	HH80547PG0961MM	S L9C5	880712
Intel® Pentium® 4 Processor 531 supporting HT Technology (1M Cache, 3.00 GHz, 800 MHz FSB) Intel® EM64T, LGA775, Tray	HH80547PG0801MM	S L9CB	880725

Intel® Pentium® Processor with MMX™ Technology, LP 166 MHz, Extended Temp, HL-PBGA Pb-Free, Tray	QC80503CSM66166	S L9LM	883017
Intel® Pentium® Processor with MMX™ Technology, LP 166 MHz, Extended Temp, HL-PBGA Pb-Free, Tray	QC80503CSM66266	S L9LN	883223

Reference Documents / Attachments:

Document:

Location #:

PCN Revision History:

Date of Revision:

Revision Number:

Reason:

October 1, 2009

00

Originally Published PCN

October 5, 2009

01

Changed PDF Security Settings

October 19, 2009

02

Changed Milestones back to Original Dates